

CHEMTEX LABORATORIES, INCORPORATED
 P.O. BOX 5228
 CONCORD, N.C. 28027
 (704) 795-9322

MATERIAL SAFETY DATA SHEET

Accepted by OSHA as essentially similar to OSHA form 20
 Revision date: July 1995 Supersedes: May 1994
 Emergency Phone Number: Chemtrec 1-800-424-9300

PRODUCT NAME: CHEMTEX BAC-COTE

 - I: PRODUCT IDENTIFICATION

CHEMICAL FAMILY: POLYVINYL ACETATE

 - II: ENVIRONMENTAL SAFETY DATA

OCCUPATIONAL HEALTH & SAFETY HAZARDOUS COMPONENTS

THIS PRODUCT DOES NOT CONTAIN ANY HAZARDOUS INGREDIENTS
 AS PER OSHA 29 CFR 1900.1200

EPA/TCSA Compliance Status: All components listed.

SARA TITLE III HAZARDOUS INFORMATION: None Reportable.

HMIS HAZARD RATING

Health Hazard 0 Fire Hazard 0 Reactivity 0 Personal Protection B

 - III: TYPICAL PHYSICAL DATA

PROPERTY	MEASUREMENT
INITIAL BOILING POINT (@ 760 mm Hg degrees c):	100 C
SPECIFIC GRAVITY (@ 25c):	1.01
PH of 1% AQUEOUS SOLUTION (@ 25c)	6.5 - 7.0
EVAPORATION RATE: (WATER = 1)	1
PHYSICAL APPEARANCE:	CLEAR LIGHT ALE LIQUID
SOLUBILITY IN WATER:	Complete

- IV: FIRE AND EXPLOSION DATA

- FLASH POINT: Non-flammable

EXTINGUISHING MEDIA: This product will not initiate combustion or fire but may support flame if overall conditions are intense.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighters should wear self-contained breathing apparatus.

UNUSUAL FIRE & EXPLOSION HAZARDS: None

- V: HEALTH HAZARD DATA

- ACGIH THRESHOLD LIMIT VALUE (TLV): Not established

EFFECTS OF OVEREXPOSURE:

NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES:

IF IN EYES - If eye contact occurs, flush copiously with water for at least 15 minutes. If irritation persists, contact physician.

IF ON SKIN - If skin contact occurs, wash thoroughly with soap and water. If irritation persists, contact physician.

- VI: REACTIVITY DATA

- HAZARDOUS POLYMERIZATION: Will not occur

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): None

HAZARDOUS DECOMPOSITION PRODUCTS: None

INCOMPATIBILITY: Insoluble in organic solvents

- VII: SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Dike and re-drum the bulk of the spill. Flush residual into approved wastewater receptacle. Spilled material is very slippery on concrete!!!

WASTE DISPOSAL METHODS:

Landfill, sewer or incinerator in accordance with all applicable local, state and federal regulations.

- VIII: PROTECTIVE EQUIPMENT TO BE USED

- RESPIRATORY PROTECTION: Not required

VENTILATION: Local exhaust

SKIN PROTECTION: Vinyl or rubber gloves

EYE PROTECTION: Chemical splash goggles in compliance with OSHA regulations are advised.

- IX: SPECIAL PRECAUTIONS OR OTHER COMMENTS

-
General Warehouse Procedures. Protect from freezing. If freezing occurs, thaw and stir before using.

APPROVED BY: _____

David M. Bilbro, Technical Director

DATE: _____

DISCLAIMER

This material safety data sheet was prepared solely for the purpose of providing employees with information regarding potential hazards presented by the listed substance(s). It was prepared in the context of reasonably foreseeable exposure situations which may arise given the nature and the expected use of the product. The substance(s) may present greater or lesser hazards under other circumstances.

The data and recommendations presented herein are based upon our research and the research of others, but Chem-Tex Laboratories, Incorporated makes no warranty of any kind, expressed or implied, except that the product supplied will be of standard quality of Chem-Tex Laboratories, Incorporated and the user assumes all risk and liability resulting from reliance on the information contained on this Material Safety Data Sheet and the use of the product, whether used singularly or in combination with other substances.

This disclaimer does not, however, apply to an Independent, statutory or contractual obligations which may otherwise exist between Chem-Tex Laboratories, Incorporated and any other person.